


PLAN VIEWS
1 : 10 @ A3




SIDE VIEW
1 : 20 @ A3

EXISTING
MASONRY
WALL

REFER TO
IRRIGATION PANEL
VIEW - CoA
603 & 604

EXISTING
MASONRY
WALL



FRONT VIEW
1 : 20 @ A3

GENERAL NOTES:

- ALL (NEW & EXISTING) SERVICES SHALL BE LOCATED BY THE CONTRACTOR PRIOR TO UNDERTAKING THE WORKS.
- COA IRRIGATION TECHNICAL OFFICER TO APPROVE ALIGNMENT OF CONDUIT PRIOR TO TRENCHING.
- ALL ELECTRICAL WORKS, INCLUDING CONDUITS TO BE INSTALLED AS PER AS3000 ELECTRICAL STANDARDS.
- ALL WORKS TO AUSTRALIAN STANDARDS BY CERTIFIED INSTALLERS AND SAPN RULES & REGULATIONS
- ALL DRAWINGS TO BE READ IN CONJUNCTION WITH THE TECHNICAL SPECIFICATION.
- ENSURE RCD PROTECTED OUTLET AND SURGE PROTECTION INSTALLED FOR CONTROLLER.
- ENSURE METAL CABINET IS EARTHED TO AS3000.
- DOOR LEAF TO EXHIBIT A 120 DEGREE DOOR STAY.
- THE CONTRACTOR SHALL CAREFULLY STUDY AND COMPARE ALL DRAWINGS, SPECIFICATIONS AND OTHER INSTRUCTIONS. CONTRACTOR TO NOTIFY IN WRITING THE CITY OF ADELAIDE OF ANY DISCREPANCIES BETWEEN THE PROJECT DRAWINGS AND STANDARD DETAILS FOR CLARIFICATION PRIOR TO UNDERTAKING THE WORKS.

APPLICATION:

- GENERALLY FIX TO WALLS OF CoA BUILDINGS OR INFRASTRUCTURE ASSETS ONLY.

KEYNOTE LEGEND

- 1.6mm ZINC ANNEALED MILD STEEL (GALVABOND)
- 75mm WIDE FOLDED ROOF LIP TO CABINET TOP
- DULUX ACRATHANE IF PAINT SYSTEM - N65 GRAPHITE GREY
- M10 DYNABOLT INTO EXISTING WALL WITH 70mm EMBEDMENT
- CONTINUOUS SILICONE SEALANT TO JUNCTION B/W BOTH CABINETS (ALL 4OFF SIDES)
- PAINTED 100 x 100 x 3mm SHS GALVANISED COMMUNICATION CABLE CONDUIT.
- PAINTED 500mm GALVANISED STEEL ELECTRICAL PIPE RISER
- 3-POINT CAM LOCKING SYSTEM WITH PADLOCKABLE CHROME SWING HANDLE
- 400mm ORANGE HDPE ELECTRICAL CONDUIT
- 6mm THICK INSULATED PANEL (DOUBLE HINGED)
- 20 x 6mm CLOSED CELL FOAM STRIP TO DOOR LEAF
- DOCUMENTATION HOLDER TO INSIDE DOOR FACE
- RAINBIRD CONTROLLER INSTALLED TO MANUFACTURER'S SPECIFICATIONS.
- 10A DOUBLE GPO OUTLET (RCD - PROTECTED)
- M10 THREADED ROD & BOLT (EARTHING OF CABINET)
- DENSO TAPE - 50mm ABOVE & 150mm BELOW LEVEL
- MAKE GOOD AND RETURN EXISTING SURFACE TO ORIGINAL CONDITION.
- 'IRRIGATION' LABEL (W.B.W)
- UNDERGROUND ELECTRICAL CONDUIT & CABLING TO MAIN SWITCHBOARD CABINET

CoA 606

CONTROLLER ENCLOSURE ASSEMBLY DETAIL

REV	DESCRIPTION	DATE
A	ORIGINAL ISSUE	07/22

CONSTRUCTION STANDARDS

LANDSCAPE

IRRIGATION

CONTROLLER ENCLOSURE ASSEMBLY DETAIL - TYPE C CABINET



SHEET NUMBER

LS007

REVISION

A